J. DISPERSION SCIENCE AND TECHNOLOGY, 15(6), 755–757 (1994)

AUTHOR INDEX TO VOLUME 15

A

Adamy, S. T., 727
Aliaga, W., 123
Amran, A., 513, 621
Anuar, K., 73
Arriagada, F. J., 59
Aveyard, R., 251

B

Backlund, S., 561
Baklouti, A., 639
Becher, P. (book reviews), 119, 247, 633, 634, 749, 750
Bergenståhl, B., 89
Bhaduri, A., 165
Bhardwaj, A., 133
Bijsterbosch, B. H., 1
Binks, B. P., 251
Bjørseth, A., 21
Boselli, V., 711
Brancewicz, C., 21

C

Cambon, A., 639
Caminati, G., 207
Carniani, E., 207
Chaabouni, M. M., 639
Chittofrati, A., 711
Claesson, P., 273, 375
Costas, M., 333

D

Das, K. P., 165, 671
Degovics, G., 575
de las Nieves, F. J., 1
Derzhanski, A., 575
Díez-Sales, O., 189
Dolz, M., 189
Donescu, D., 543
Dukhin, S. S., 401

E

Ebeltoft, H., 21, 487

F

Fletcher, P. D. I., 251
Fördedal, H., 449, 465
Friberg, S. E., 21, 359, 399 (book review), 513, 621, 711, 750 (book review)
Fröberg, J. C., 375

Fusulan, L., 543

G

Gabrielli, G., 207
Gestblom, B., 449
González, F., 189
González, G., 123

H

Halder, U. C., 671
Hamdan, S., 73
Hartland, S., 133
Harun, S., 147
Hedhli, A., 639
Herráez, M., 189
Hidalgo-Alvarez, R., 1
Holmberg, K., 317
Holt, Ø., 465

I

Infante, Mª R., 591

J

Jakobsen, T., 401, 423
Jakobsson, M., 611
Jones, S. M., 513
Joubran, R., 687

K

Karlsson, S., 561
Kronberg, B., 333

L

Laggner, P., 575
Laili, C. R., 73
Larsson, K., 353
Li, F., 705
Li, G.-Z., 705
Lindberg, M., 89
Lu, D., 687

M

Manev, E., 273
Mikami, T., 657

O

Oh, S. G., 297
Osseo-Asare, K., 59

P

Parker, J. L., 375
Parris, N., 687
Pugh, R., 273

R

Rasmuson, Å. C., 89
Righi, M., 207

Rubio-Hernández, F. J., 1
Rutherford, C. E., 251

S

Saha, S., 671
Saraiva, S. M., 123
Sarti, G., 207
Seguer, J., 591
Selve, C., 591
Shah, D. O., 297
Silveston, R., 333
Sinha, N. K., 671
Sivik, B., 611
Sjöblom, J., 21, 401, 423, 449, 465, 487, 561, 621
Sjöström, B., 89
Skagerlind, P., 317
Skodvin, T., 401, 423
Suhaimi, H., 147
Szönyi, S., 639

T

Trevino, S., 687

V

Visca, M., 711

W

Waltermo, Å., 273
Wang, H.-L., 705
Wang, L., 35

Y

Yan, Z., 35

Z

Zhai, L.-M., 705
Zheliaskova, A., 575
Zheng, L.-Q., 705

J. DISPERSION SCIENCE AND TECHNOLOGY, 15(6), 759–765 (1994)

SUBJECT INDEX TO VOLUME 15

A

Adsorption interaction, of native and chemically acetylated β-lactoglobulin, at the alumina-water interface, 165–188
Alcohol and glycol ether microemulsions, effects of cosurfactant and oil chain length on the phase behavior and solubilization of, 727–748
Alcohol-water mixtures, colloid stability of positively charged monodisperse latex in, 1–19
5-F-Alkyl 4-oxa 1-dimethylamino hex-5-en-2 ols, cationic and amphoteric polymerizable surfactants derived from, 639–655
Alkyltrimethoxysilanes, hydrolysis and condensation of in monomolecular films, 21–34
Alumina-water interface, adsorption interaction of native and chemically acetylated β-lactoglobulin at, 165–188
Amphiphilic association structure, and skin lotions, 359–373

B

Benzyl alcohol, effect of on silica nanoparticle size and polydispersity in Aerosol OT reverse microemulsions, 59–71

C

Cellulose hydrogels, microcrystalline, influence of starch on the rheological behavior of, 189–205
Cetyltrimethylammonium bromide, micellar solution of with tetradecyltrimethylammonium bromide, 73–87
Coagulation and flocculation (book review), 749
Coalescence
  of water droplets, in water-in-crude-oil emulsions, 133–146
  of water-in-oil emulsions, the optimum frequency for electrical enhancement of, 35–58
Coal-water slurries, effect of the liquid-solid interface on the preparation and properties of, 207–246

Colloid and surface chemistry (book review), 119
Colloid stability, of positively charged monodisperse latex, in alcohol-water mixtures, 1–19
Colloidal matrices, gas hydrate formation in, 465–486
Contact angles, relation of to the effects of solids on film and foam stability, 251–271
Copper nitrate, in microemulsion-gel glass, 513–542
Corrosion model inhibitors, in the presence of other production chemicals in the oil industry, Langmuir films of, 487–511
Cosurfactant, effects of on phase behavior and solubilization in alcohol and glycol ether microemulsions, 727–748
Critical micelle concentration, second, fluorescence probe studies of for surfactants, 705–710

D

Defoaming, theory and industrial applications of (book review), 634
Dielectric properties, of water-in-oil emulsions under flow, 423–448
Dielectric spectroscopy
  of emulsions, 401–421
  of water-in-oil emulsions in high electric fields, 449–464

E

Emulsion polymerization, semicontinuous, of vinyl acetate, 543–560
Emulsions
  dielectric spectroscopy of, 401–421
  oil in water, stabilized by Aerosol OT and interfacial polyurea film, effects of n-propylamine on the stability of, 657–669
  precipitation in, formation of submicron organic particles by, 89–117
  water in crude oil, coalescence of water droplets in, 133–146
  water in oil
    in high electric fields, dielectric spectroscopy of, 449–464
    the optimum frequency in electrically enhanced coalescence of, 35–58
    under flow, dielectric properties of, 423–448
Ethanol, synergetic effect of with sucrose, on the formation of triglyceride microemulsions, 687–704

F

Films
  foam, of aqueous solutions of octyl-β-glucoside, 273–296
  Langmuir, of corrosion model inhibitors, in the presence of other production chemicals in the oil industry, 487–511

monomolecular, hydrolysis and condensation of alkyltrimethoxysilanes in, 21–34
stability of, relation of contact angles to the effects of solids on, 251–271
Fish oil, oxidative stability of in a microemulsion, 611–619
Fluorescence probe studies, of the second critical micelle concentration of several surfactants, 705–710
Foam, stability of, relation of contact angles to the effects of solids on, 251–271
Foam films, of octyl-β-glucoside, 273–296
Frequency, optimum, in electrically enhanced coalescence of water-in-oil emulsions, 35–58

G

Gas hydrate, formation of in colloidal matrices, 465–486
Gastric wall, relation of phospholipids to the hydrophobicity of, 353–357
Glass, microemulsion gel, containing copper nitrate, 513–542

H

High electric fields, water-in-oil emulsions in, dielectric spectroscopy of, 449–464
Hydrogels, microcrystalline cellulose, influence of starch on the rheological behavior of, 189–205
Hydrolysis, enzymatic, of palm oil in microemulsion, effect of the surfactant on, 317–332
Hydrophobic effect, explanation of, 333–351
Hydrophobicity, of the gastric wall, relation of phospholipids to, 353–357

I

Interparticle forces, new surfaces and techniques for studies of, 375–397
Isoelectric points, for niobium and vanadium pentoxides, 123–132

L

β-Lactoglobulin, native and chemically acetylated, adsorption interaction of at the alumina-water interface, 165–188
Langmuir films, of corrosion model inhibitors, in the presence of other production chemicals in the oil industry, 487–511
Latex, positively charged monodisperse, colloid stability of in alcohol-water mixtures, 1–19
Liquid crystals
lamellar, of perfluoropolyether am-

[Liquid crystals *continued*]
monium carboxylates, SAXRD of, 711–726
lyotropic, phase transitions of in a ternary system, 575–590
Liquid-solid interface, effect of on the preparation and properties of coal-water slurries, 207–246
Low molecular weight proteins, surface properties of, 671–685
Lysine, new nonionic surfactants from, 591–610

M

Micellar lifetime, relevance of to various technological processes, 297–316
Micellar solution, of tetradecyltrimethylammonium bromide/cetyltrimethylammonium bromide mixtures, 73–87
Micelle formation, mixed, synergism in, 147–164
Microemulsion-gel glass, containing copper nitrate, 513–542
Microemulsions
Aerosol OT reverse, effect of benzyl alcohol on silica nanoparticle size and polydispersity in, 59–71
alcohol and glycol ether, effects of cosurfactant and oil chain length on the phase behavior and solubilization of, 727–748
fish oil in, oxidative stability of, 611–619
palm oil in, effect of the surfactant on the enzymatic hydrolysis of, 317–332
triglyceride, synergetic effect of sucrose and ethanol on the formation of, 687–704
Mixed micelle formation, synergism in, 147–164
Mixed surfactant systems (book review), 247–248
Monomolecular films, hydrolysis and condensation of alkyltrimethoxysilanes in, 21–34

N

Nanoparticles, silica, effect of benzyl alcohol on particle size and polydispersity of, in Aerosol OT reverse microemulsions, 59–71
Niobium pentoxide, isoelectric point for, 123–132
NMR. *See* Nuclear magnetic resonance
Nuclear magnetic resonance (NMR) spectra, of silicon from the reaction between tetraethoxysilane and calcium nitrate hydrate, 621–632

O

Octyl-β-glucoside, foam films and surface force studies of, 273–296
Oil chain length, effects of on phase behavior and solubilization in alcohol and glycol ether microemulsions, 727–748

Oil-in-water emulsions, stabilized by Aerosol OT and interfacial polyurea film, effects of n-propylamine on, 657–669
Organized solutions (book review), 633–634
Oxidative stability, of fish oil in a microemulsion, 611–619

P

Palm oil, in microemulsion, effect of the surfactant on the enzymatic hydrolysis of, 317–332
Perfluoropolyether ammonium carboxylates, SAXRD study of lamellar liquid crystals of, 711–726
Phase equilibria, in aqueous low molecular catanionic surfactant systems, 561–573
Phase transitions, lyotropic liquid crystal, in a ternary system, 575–590
Phospholipids, relation of to hydrophobicity of the gastric wall, 353–357
Polymerizable surfactants, cationic and amphoteric, derived from 5-F-alkyl 4-oxa 1-dimethylamino hex-5-en-2-ols, 639–655
Polymerization, semicontinuous emulsion, of vinyl acetate, 543–560
Precipitation, in an emulsion, formation of submicron organic particles by, 89–117
n-Propylamine, effects of on the stability of oil-in-water emulsions stabilized by Aerosol OT and interfacial polyurea film, 657–669
Proteins, low molecular weight, surface properties of, 671–685

R

Rheological behavior, of microcrystalline cellulose hydrogels, influence of starch on, 189–205

S

SAXRD. *See* Small angle x-ray diffraction
Silica, effect of benzyl alcohol on nanoparticle size and polydispersity of, 59–71
Silicon, from the reaction between tetraethoxysilane and calcium nitrate hydrate, NMR spectra of, 621–632
Skin lotions, amphiphilic association structure and, 359–373
Slurries, coal-water, effect of the liquid-solid interface on the preparation and properties of, 207–246
Small angle x-ray diffraction (SAXRD), of lamellar liquid crystals of perfluoropolyether ammonium carboxylates, 711–726
Solids, effects of on film and foam stability, relation of contact angles to, 251–271

Stability
colloid, of positively charged monodisperse latex, in alcohol-water mixtures, 1–19
film and foam, relation of contact angles to the effects of solids on, 251–271
of oil-in-water emulsions, effects of n-propylamine on, 657–669
oxidative, of fish oil in a microemulsion, 611–619
Starch, influence of on the rheological behavior of microcrystalline cellulose hydrogels, 189–205
Submicron organic particles, formation of by precipitation in an emulsion, 89–117
Sucrose, synergetic effect of with ethanol, on the formation of triglyceride microemulsions, 687–704
Sunscreens (book review), 750–751
Surface force studies, of aqueous solutions of octyl-β-glucoside, 273–296
Surface properties, of low molecular weight proteins, 671–685
Surfactant science and technology (book review), 119
Surfactant systems, aqueous low molecular catanionic, phase equilibria in, 561–573
Surfactants
analysis of (book review), 633
fluorinated (book review), 750
effect of on the enzymatic hydrolysis of palm oil in microemulsion, 317–332
interactions of with polymers and proteins (book review), 399
nonionic, from lysine, 591–610
polymerizable, cationic and amphoteric, derived from 5-F-alkyl 4-oxa 1-dimethylamino hex-5-en-2-ols, 639–655
second critical micelle concentration of, fluorescence probe studies of, 705–710
Synergism
in mixed micelle formation, 147–164
of sucrose and ethanol, on the formation of triglyceride microemulsions, 687–704

T

Ternary system, lyotropic liquid crystal phase transitions in, 575–590
Tetradecyltrimethylammonium bromide, micellar solution of with cetyltrimethylammonium bromide, 73–87
Triglyceride microemulsions, synergetic effect of sucrose and ethanol on the formation of, 687–704

V

Vanadium pentoxide, isoelectric point for, 123–132
Vinyl acetate, semicontinuous emulsion polymerization of, 543–560

W

Water droplets, coalescence of in water-in-crude-oil emulsions, 133–146
Water-in-oil emulsions
electrically enhanced coalescence of, the optimum frequency in, 35–58
in high electric fields, dielectric spectroscopy of, 449–464
under flow, dielectric properties of, 423–448